


# 19" 1 Port DVI LCD KVM Console ( LD1901 )




## Overview


LD1901 is a 19" 1 port DVI console which integrates the monitor, keyboard and mouse in a 1U device; it fits for installed in a standard 19" rack. It can connect one computer to control the monitor, keyboard and mouse.



1 LCD Monitor	6 Touchpad
2 Rear Bracket Slot	7 Handle
3 Display Menu Buttons	8 Release Switch
4 Mounting Bracket	9 Display Panel
5 Keyboard	

## Structure






1 PC Port(DVI)	3 Power switch
2 Ground Connection Screw	4 Power input(AC or DC)

### Features

- 3 in 1 LCD console integrates the monitor, keyboard and mouse.
- The console can be connected to a PC or a KVM switch to control and manage single/multiple PCs.
- 19" TFT LCD monitor with high brightness, high definition and high resolution.
- Ultra-slim keyboard with 99 keys and numeric keypad
- Standard PS/2 emulation
- Touchpad with trackball
- Automatically lock up with the front panel lock latch
- Compact steel construction and high quality hand-protection sliding rails

### Connection Diagram



## Specifications

Model	LD1901	
Computer Connections	1	
Port emulation	Keyboard, mouse	PS/2, USB
LCD monitor	LCD model	SXGA TFT
	View area	19 "
	Optimum resolution	1280x1024@60Hz
	Display color	16.7 M
	Brightness	250cd/m <sup>2</sup> ( T y p )
	Contrast ratio	1000 : 1 ( T y p )
	Pixel pitch(mm)	0.294(H) × 0.294(W)
Mouse	X/Y resolution	>1000 points / inch, (40 points/mm)
	Scroll wheel	Support scroll wheel function
Keyboard	99 keys (82 keys main keyboard +17 independent small numeric keyboard)	
Input power	100V – 240Vac, 50 ~ 60Hz, <1.5A	
DVI Signal	DVI-D	
Power consumption	17W	
Operating temperature	0 – 40 °C	
Store temperature	-20 – 60 °C	
Humidity	0 – 80% RH, non-condensing	
Net weight	12.5 kg	
Product dimension (W × D × H)	448mmx505mmx42.5mm	
Package dimension (W × D × H)	765mmx615mmx185mm	